	end users could use the same application with a variety of back-end vendor services, and the vendors themselves could compete on price, quality, availability, etc. Interoperability with substituted services is non-trivial, however,	
4	Linguistic profiling of texts for the purpose of language verification Hans Van Halteren, Nelleke Oostdijk August 2004 Proceedings of the 20th international conference on Computational Linguistics COLING '04 Publisher: Association for Computational Linguistics	
	Full text available: pdf(223.76 KB) Additional Information: full citation, abstract, references	
	In order to control the quality of internet-based language corpora, we developed a method to verify automatically that texts are of (near-) native quality. For the LOCNESS and ICLE corpora, the method is rather successful in separating native and non-native learner texts. The Equal Error Rate is about 10%. However, for other domains, such as internet texts, separate classifiers have to be trained on the basis of suitable seed corpora.	
5	Mutual disambiguation of recognition errors in a multimodel architecture	
③	Sharon Oviatt May 1999 Proceedings of the SIGCHI conference on Human factors in computing systems: the CHI is the limit CHI '99 Publisher: ACM Press	
	Full text available: pdf(1.21 MB) Additional Information: full citation, abstract, references, citings, index terms	
	As a new generation of multimodal/media systems begins to define itself, researchers are attempting to learn how to combine different modes into strategically integrated whole systems. In theory, well designed multimodal systems should be able to integrate complementary modalities in a manner that supports mutual disambiguation (MD) of errors and leads to more robust performance. In this study, over 2,000 multimodal utterances by both native and accented speakers of English were proce	
	Keywords : diverse users, multimodal architecture, mutual disambiguation, rebust performances, recognition errors, speech and pen input	
6	Machine translation and multilingual systems: Speaker, accent, and language identification using multilingual phone strings Tanja Schultz, Qin Jin, Kornel Laskowski, Alicia Tribble, Alex Waibel March 2002 Proceedings of the second international conference on Human Language Technology Research Publisher: Morgan Kaufmann Publishers Inc. Full text available: pdf(654.13 KB) Additional Information: full citation, abstract, references	
	In this paper we investigated the identification of non-verbal cues from spoken speech, namely speaker, accent, and language. For these tasks, a joint framework is developed which uses phone strings, derived from different language phone recognizers, as intermediate features and which performs classification decisions based on their perplexities. Our evaluation on variable distance data proved the robustness of the approach, achieving a 96.7% speaker identification rate. Furthermore, we achie	
7	You're not from 'round here, are you?: naive Bayes detection of non-native utterance text	
	Laura Mayfield Tomokiyo, Rosie Jones June 2001 Second meeting of the North American Chapter of the Association for Computational Linguistics on Language technologies 2001 NAACL '01	

	Publisher: Association for Computational Linguistics Full text available: pdf(197.69 KB) Additional Information: full citation, abstract, references, citings	
	Native and non-native use of language differs, depending on the proficiency of the speaker, in clear and quantifiable ways. It has been shown that customizing the acoustic and language models of a natural language understanding system can significantly improve handling of non-native input; in order to make such a switch, however, the nativeness status of the user must be known. In this paper, we show that naive Bayes classification can be used to identify non-native utterances of English. The ad	
8	Video helps remote work: speakers who need to negotiate common ground benefit	
③	from seeing each other Elizabeth S. Veinott, Judith Olson, Gary M. Olson, Xiaolan Fu May 1999 Proceedings of the SIGCHI conference on Human factors in computing systems: the CHI is the limit CHI '99	
	Publisher: ACM Press Additional Information: full citation, abstract, references, citings, index	
	Full text available: pdf(978.41 KB) Additional information: full citation, abstract, references, citings, index	
	More and more organizations are forming teams that are not co-located. These teams communicate via email, fax, telephone and audio conferences, and sometimes video. The question often arises whether the cost of video is worth it. Previous research has shown that video makes people more satisfied with the work, but it doesnt help the quality of the work itself. There is one exception; negotiation tasks are measurably better with video. In this study, we show that the same effect holds	
	Keywords : common ground, communication, negotiation, remote work, video-mediated communication	
9	Improvements in non-verbal cue identification using multilingual phone strings Tanja Schultz, Qin Jin, Kornel Laskowski, Alicia Tribble, Alex Waibel July 2002 Proceedings of the ACL-02 workshop on Speech-to-speech translation: algorithms and systems - Volume 7 Publisher: Association for Computational Linguistics Full text available: pdf(136.13 KB) Additional Information: full citation, abstract, references	
	Today's state-of-the-art front-ends for multilingual speech-to-speech translation systems apply monolingual speech recognizers trained for a single language and/or accent. The monolingual speech engine is usually adaptable to an unknown speaker over time using unsupervised training methods; however, if the speaker was seen during training, their specialized acoustic model will be applied, since it achieves better performance. In order to make full use of specialized acoustic models in this propo	
10	TwicPen: hand-held scanner and translation software for non-native readers	
	Eric Wehrli July 2006 Proceedings of the COLING/ACL on Interactive presentation sessions	
	Publisher: Association for Computational Linguistics	
	Full text available: pdf(225.88 KB) Additional Information: full citation, abstract, references	
	TwicPen is a terminology-assistance system for readers of printed (ie. off-line) material in foreign languages. It consists of a hand-held scanner and sophisticated parsing and translation software to provide readers a limited number of translations selected on the basis of a linguistic analysis of the whole scanned text fragment (a phrase, part of the sentence, etc.). The use of a morphological and syntactic parser makes it possible (i) to	

disambiguate to a large extent the word selected by the ...

11	Threads and input/output in the synthesis kernal	
•	H. Massalin, C. Pu November 1989 ACM SIGOPS Operating Systems Review , Proceedings of the twelfth ACM symposium on Operating systems principles SOSP '89, Volume 23 Issue 5	
	Publisher: ACM Press	
	Full text available: pdf(1.34 MB) Additional Information: full citation, abstract, references, citings, index terms	
	The Synthesis operating system kernel combines several techniques to provide high performance, including kernel code synthesis, fine-grain scheduling, and optimistic synchronization. Kernel code synthesis reduces the execution path for frequently used kernel calls. Optimistic synchronization increases concurrency within the kernel. Their combination results in significant performance improvement over traditional operating system implementations. Using hardware and software emulating a SUN 3	
12	Posters: Error recovery in a blended style eye gaze and speech interface	
•	Yeow Kee Tan, Nasser Sherkat, Tony Allen November 2003 Proceedings of the 5th international conference on Multimodal interfaces ICMI '03 Publisher: ACM Press Full text available: pdf(227.98 KB) Additional Information: full citation, abstract, references, index terms	
	In the work carried out earlier [1][2], it was found that an eye gaze and speech enabled interface was the most preferred form of data entry method when compared to other methods such as mouse and keyboard, handwriting and speech only. It was also found that several non-native United Kingdom (UK) English speaking speakers did not prefer the eye gaze and speech system due to the low success rate caused by the inaccuracy of the speech recognition component. Hence in order to increase the usability	
	Keywords : blended multimodal interface, error recovery and usability, eye gaze tracking, multimodal interface, speech recognition	
13	Optimistic incremental specialization: streamlining a commercial operating system C. Pu, T. Autrey, A. Black, C. Consel, C. Cowan, J. Inouye, L. Kethana, J. Walpole, K. Zhang December 1995 ACM SIGOPS Operating Systems Review, Proceedings of the fifteenth ACM symposium on Operating systems principles SOSP '95, Volume 29 Issue 5 Publisher: ACM Press	
	Full text available: pdf(1.32 MB) Additional Information: full citation, references, citings, index terms	
14	Late-breaking/short talks: Video matters!: when communication ability is stressed, video helps Elizabeth S. Veinott, Judith S. Olson, Gary M. Olson, Xiaolan Fu March 1997 CHI '97 extended abstracts on Human factors in computing systems: looking to the future CHI '97 Publisher: ACM Press Full text available: pdf(229.22 KB) Additional Information: full citation, abstract, references, citings	
	This study assesses whether remotely located pairs of people working on a collaborative task benefit from using video, looking in particular at people for whom communication is stressed. In this study, we extend the research on video-mediated communication to the domain of non-native speaker interactions. Thirty-six pairs performed a map task using either audio-only or audio-plus-video for communication. Half the pairs were non-native speakers, half were native speakers. As in many studies of vi	

Publisher: ACM Press

	Keywords : non-native speaker interaction, remote work, video-mediated communication	
15 ③	Standards, pedagogy and requirements: Effectively teaching coding standards in programming Xiaosong Li, Christine Prasad October 2005 Proceedings of the 6th conference on Information technology education SIGITE '05 Publisher: ACM Press Full text available: pdf(215.42 KB) Additional Information: full citation, abstract, references, index terms	
	In this paper, we report on a study that was carried out to investigate students' opinions on learning and accepting coding standards in programming courses. We used a questionnaire survey to gather data. We also used the information observed from our teaching practices. An analysis of the data indicated that most students' believe coding standards are important in programming courses but tend not to comply with them, thus implying possible flaws in the teaching strategies used. We also present	٠.
	Keywords: coding standards, teaching programming	•
16 ②	Queue Focus: Game Development: Fun and Games: Multi-Language Development Andrew M. Phelps, David M. Parks February 2004 Queue, Volume 1 Issue 10 Publisher: ACM Press Full text available: pdf(5.69 MB) Additional Information: full citation, citings, index terms html(36.56 KB)	
17	Camera-based input and video techniques: A low-latency lip-synchronized	
③	videoconferencing system Milton Chen April 2003 Proceedings of the SIGCHI conference on Human factors in computing systems CHI '03 Publisher: ACM Press	
	Full text available: pdf(266.65 KB) Additional Information: full citation, abstract, references, citings, index terms	
	Audio is presented ahead of video in some videoconferencing systems since audio requires less time to process. Audio could be delayed to synchronize with video to achieve lip synchronization; however, the overall audio latency might then become unacceptable. We built a videoconferencing system to achieve lip synchronization with minimal perceived audio latency. Instead of adding a fixed audio delay, our system time-stretches the audio at the beginning of each utterance until the audio is synchro	
	Keywords: lip synchronization, videoconferencing	
18 ③	Cosy: an operating system for highly parallel computers Roger Butenuth, Wolfgang Burke, Hans-Ulrich Heiß April 1996 ACM SIGOPS Operating Systems Review. Volume 30 Issue 2	

Full text available: pdf(921.49 KB) Additional Information: full citation, index terms

10	- Γ	_
19	On micro-kernel construction	_
	J. Liedtke December 1905 ACM SYCORS Or creating Systems Boulows Broadings of the fifteenth	
•	December 1995 ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles SOSP '95, Volume 29 Issue 5	
	Publisher: ACM Press	
	Full text available: pdf(1.65 MB) Additional Information: full citation, references, citings, index terms	
20	Holping upore povigate in multimodic decuments; the effective demain	_
•	Helping users navigate in multimedia documents: the affective domain	_
(2)	Marcia Peoples Halio	
•	November 1992 Proceedings of the 10th annual international conference on Systems documentation SIGDOC '92	
	Publisher: ACM Press	
	Full text available: pdf(512.62 KB) Additional Information: full citation, references, citings, index terms	
	<u> </u>	
Res	ults 1 - 20 of 191 Result page: 1 2 3 4 5 6 7 8 9 10 next	
	The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.	
	Terms of Usage Privacy Policy Code of Ethics Contact Us	
	Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player	



Web Images Video News Maps more»

kernels non native "no modification" -2007 -2



Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 11 - 20 of about 56 for kernels non native "no modific

All Results

X Huang
R Sharma
S Keshav
M Hall
M Solomon

Implementation and performance evaluation of ISAC: integrated services Internet with RSVP over ATM ...

HK Chow, A Leon-Garcia - Communications, 1998. ICC 98. Conference Record. 1998 IEEE ..., 1998 - ieeexplore.ieee.org

... establishing data VCs, while bypassing the **native** ATM signaling and requiring **no modification** on switch ... of software commonly found in the **kernel** of a ...

Cited by 2 - Related Articles - Web Search

AIAA Space Programs and Technologies Conference and Exhibit

RH Microelectronics - pdf.aiaa.org

... private sector with little or **no modification** The key technology drivers for ... 2.4 kW - **NON** environment enables translation of RISC code into **native** WSVP code ... Web Search

<u>Dr. Michael Stonebraker</u> ◆ <u>Chief Technology Officer</u> ◆ <u>Informix Software, Inc.</u> - all 2 versions »

OR DBMS - safariexamples.informit.com

... In a **non-**SQL context, many middleware and client application frameworks also support execution of user-written routines. ... in "**native**" or "**kernel**" mode ...

Related Articles - View as HTML - Web Search

Prototype performance of distributed DAQ using HORB based on Java - all 3 versions »

Y Yasu, H Fujii, E Inoue, H Kodama, Y Sakamoto - Nuclear Science, IEEE Transactions on, 1998 - ieeexplore.ieee.org

... codes, We found that the performance of the Java **native** code compiler was nearly as good as that of the C **native** codes. ... There is **no modification** of Java syntax ... Cited by 3 - Related Articles - Web Search - BL Direct

A New Virtual Memory Implementation for L4/MIPS - all 7 versions »

C Szmajda - University of New South Wales, 1999 - itk.ntnu.no

... substantially simpler and is designed to be safe in pre-emptable and SMP **kernels**. ... **Non**-inverted or forward-mapped page tables index one or more arrays with the ...

Cited by 2 - Related Articles - View as HTML - Web Search

[воок] Exploiting Method-Level Parallelism in Single-Threaded Java Programs - all 11 versions »

MK Chen, K Olukotun, STANFORD UNIV CA COMPUTER ... - 1998 - doi.ieeecs.org ... applications, though, these compilers fail because they cannot analyze **non**- uniform memory ... can use method specu- lation with little or **no modification** to the ... Cited by 29 - Related Articles - Web Search - Library Search

[PS] Evaluation of the RCNP ATM Network and Computing Facility for Emulation Purposes of Network Based ...

I Mandjavidze - ATLAS Internal Note, DAQ-NO-069, May, 1997 - www-dapnia.cea.fr ... DEC would allow users to access the **native** ATM layers ... ATM fabrics are build around 13 x 13 **non**-blocking cross ... For this the Digital UNIX **kernel** has to be rebuilt ...

Cited by 2 - Related Articles - View as HTML - Web Search

[PS] To appear in Software, Practice and Experience, 1998. - all 3 versions » DP Ghormley, D Petrou, SH Rodrigues, AM Vahdat, TE ... - www-2.cs.cmu.edu ... To overcome these limitations, we are developing a non-intrusive kernel extension system called SLIC [23] which will enable GLUnix to fulfill its design ... Related Articles - View as HTML - Web Search

<u>Dependability Requirements and Security Architectures for the</u> Healthcare/Medical Sector - all 3 versions »

G Trouessin - Proceedings of the 18th International Conference on Computer ..., 1999 - Springer

... many years the concept of Confidentiality-TTP in a « 'post-**native**' 'distrust' logic ... is escrowed like this), or restricted to some **non**-encryption (if ...

Cited by 2 - Related Articles - Web Search - BL Direct

Oaklisp: an object-oriented scheme with first class types - all 2 versions »

KJ Lang, BA Pearlmutter - Conference on Object Oriented Programming Systems Languages
..., 1986 - portal acm.org

... FMG|H (COS ANGLE))) .; and trtviul for **non**-combeR num ... is actually drawn from the Oaklisp **kernel**, and iS ... provide for low-level access to **native** machine resources ... Cited by 18 - Related Articles - Web Search



.

kernels non native "no modification Search

Google Home - About Google - About Google Scholar


©2007 Google

Web Images Video News Maps Gmail more v

<u>Sign in</u>

Google

without modifying kernel microsoft "non native Search



Web Results 1 - 10 of about 42 for without modifying kernel microsoft "non native " -2007 -2006 -2005 -2004

Windows NT Magazine Tips: April-May 1999

Crossing from user mode to **kernel** mode requires **kernel**-mode transition and the NT Executive checks whether the move is legitimate. **Microsoft** defines a ... www.microsoft.com/technet/archive/winntas/tips/winntmag/nttipq1.mspx - 14k - Cached - Similar pages

Secure and Portable Database Extensibility

the native server language or a **non-native** language, and the UDF can be integrated within ... compromise security by **modifying** files or killing the server. ... portal.acm.org/ft_gateway.cfm?id=276339&type=pdf - Similar pages

[PDF] Chapter 3 TOWARDS A SIMPLIFIED DATABASE WORKLOAD FOR COMPUTER ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> aggregate functions (for example, sums and averages of **non-native** decimal Jim Gray and Don Slutz from **Microsoft**'s Bay Area Research Center and ... www.hpl.hp.com/personal/Kimberly_Keeton/BerkeleyPapers/wwc99-chapter.pdf - <u>Similar pages</u>

DCL Details DCL does not include support asynchronous I/O, thus a ... See the HP Fortran documentation for information on "non-native data in I/O" and OpenVMS routines do not modify the contents of a static descriptor, ... h71000.www7.hp.com/faq/vmsfaq_part-06-of-n.txt - 96k - Cached - Similar pages

[PDF] Introduction

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> compromise security by **modifying** les or killing the server. While Design 2 is less ecient than ... implementations available from Sun JNI and **Microsoft** RNI. ... plg.uwaterloo.ca/~migod/papers/1998/sigmod98-81.pdf - <u>Similar pages</u>

From ptw@pobox.com Thu, 1 Oct 1998 10:14:08 -0400 Date: Thu, 1 Oct ... If the bit is set, the user cannot directly **modify** the file at all; bad on me after repeated rewriting of **kernel** bootstrap images, **without** the benefit ... lists.tunes.org/archives/lispos/1998-October.txt - 153k - Cached - Similar pages

[РРБ] (Microsoft Word - CISL - common intrusion specification language ... File Format: PDF/Adobe Acrobat - View as HTML

many definitions per word), and many **non-native** speakers complain that 'Translate' instructs the decoder to **modify** data values. in the original GIDO. ... people.emich.edu/pstephen/other papers/CISL-Original.PDF - Similar pages

[GZIP] From owner-freebsd-hackers Sun Jun 27 0:14:31 1999 Delivered-To ...

File Format: Gzip Archive - View as HTML
One drive fails without any chance to get it up again. I have not enough time, interest or knowledge to modify the Linux kernel myself for all these ...
www.gtlib.gatech.edu/pub/FreeBSD/doc/mailing-lists/archive/1999/freebsd-hackers/19990704.freebsd-hackers.gz - Similar pages

/usr/share/doc/xjed/changelog.gz

Warn user if an attempt is made to modify a buffer whose file is read-only. Work around

for a glibc or linux 2.2 kernel bug that gets triggered when ... olympus.het.brown.edu/cgi-bin/dwww?type=file&location=/usr/share/doc/xjed/changelog.gz - 103k - Cached - Similar pages

Two New Programmer's Tools for Digital Signal Processing by ... This processor function should be written to operate in-place, modifying the data types can be a problem on non-native (ie non-Macintosh) platforms. ... xenia.media.mit.edu/~bdenckla/misc/kronos_www/thesis/whole_thing.html - 92k -Cached - Similar pages

1 2 3 4 Next

Try Google Desktop: search your computer as easily as you search the web.

without modifying kernel microsoft " Search



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

	Туре	L#	Hits	DBs	Search Text	Time Stamp
1	BRS	L1	0	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	EP1283465	2007/10/21 10:06
2	BRS	L2	36091	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	(windows same NT)	2007/10/21 10:19
3	BRS	L3	3353	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L2 and native	2007/10/21 10:07
4	BRS	L4	178	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L3 and non-native	2007/10/21 10:07
5	BRS	L5 .	103	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L4 and modifying	2007/10/21 10:12

	Туре	L#	Hits	DBs	Search Text	Time Stamp
6	BRS	L6		US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L2 and (no same modif\$5)	2007/10/21 10:13
7	BRS	L7	1832	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB		2007/10/21 10:15
8	BRS	L8	0		L2 and (no same modif\$5 same NT same non-native)	2007/10/21 10:14
9	BRS	L9	5	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L2 and (no same modif\$5 same NT same native)	2007/10/21 10:14
10	BRS	L10	2	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L2 and (no same modif\$5 same NT) and L4	2007/10/21 10:15

	Туре	L#	Hits	DBs	Search Text	Time Stamp
11	BRS	L11	21	US- PGPUB; USPAT; USOCR	("5202921" "5218697" "5241594" "5349643" "5423022" "5455953" "5504892" "5530758" "5548726" "5553242" "5586260" "5594921" "5655077" "5684950" "5706349" "5706427" "5737523" "5764887" "5764890" "5818936" "5841970").PN.	2007/10/21 10:15
12	BRS	L12	2828	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB		2007/10/21 10:20
13	BRS	L13	717	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L12 and L3	2007/10/21 10:20
14	BRS	L14	21	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	L12 and L3 and L7	2007/10/21 10:20

	Туре	L#	Hits	DBs	Search Text	Time Stamp
1	BRS	L1	18	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	. — — — — — — — — — — — — — — — — — — —	2007/10/21 09:20
2	BRS	L2		US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	, , , , , , , , , , , , , , , , , , , ,	2007/10/21 09:22
3	BRS	L3	2	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	(native and calls).ti. and input and output	2007/10/21 09:23
4	BRS	L4	0	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	(native and calls).ti. and input and output and (non-native)	2007/10/21 09:23

Subscribe (Full Service) Register (Limited Service, Free) Login
Search: © The ACM Digital Library © The Guide
USPTO "kernel calls" + "non-native"
下民員 Aの W の GhrAL LIIBRARY Feedback Report a problem Satisfaction survey
Terms used: kernel calls non native Found 191 of 212,795
Sort results by Display results expanded form results Try an Advanced Search Try this search in The ACM Guide Open results in a new window
Results 1 - 20 of 191 Result page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u> Relevance scale.
1 Towards automatic scoring of non-native spontaneous speech Klaus Zechner, Isaac I. Bejar June 2006 Proceedings of the main conference on Human Language Technology Conference of the North American Chapter of the Association of Computational Linguistics Publisher: Association for Computational Linguistics Full text available: pdf(99.91 KB) Additional Information: full citation, abstract, references
This paper investigates the feasibility of automated scoring of spoken English proficiency of non-native speakers. Unlike existing automated assessments of spoken English, our data consists of spontaneous spoken responses to complex test items. We perform both a quantitative and a qualitative analysis of these features using two different machine learning approaches. (1) We use support vector machines to produce a score and evaluate it with respect to a mode baseline and to human rater agreement
Specification and verification of the UCLA Unix security kernel Bruce J. Walker, Richard A. Kemmerer, Gerald J. Popek February 1980 Communications of the ACM, Volume 23 Issue 2
Publisher: ACM Press Full text available:
Keywords : ALPHARD, Unix, formal specifications, operating systems, programming methodology, protection, security, security kernel, verification
Web services: composition, integration and interoperability: Interoperability among independently evolving web services Shankar R. Ponnekanti, Armando Fox October 2004 Proceedings of the 5th ACM/IFIP/USENIX international conference on Middleware Middleware '04 Publisher: Springer-Verlag New York, Inc. Full text available: pdf(270.57 KB) Additional Information: full citation, abstract, references, citings
The increasing popularity of XML Web services motivates us to examine if it is feasible to substitute one vendor service for another when using a Web-based application, assuming that these services are "derived from" a common base. If such substitution were possible,